

ANDREAS SPUTTEK's ABSTRACTS IN REVIEWED JOURNALS

Date: 2016-07-29 (most recent first)

A 134 Sputtek, A., Schubert, C., Peine, S., Rowe, A.W.

Effective and safe collection of peripheral blood stem cells in patients and donors using the Amicus® Separator and the Spectra Optia® Apheresis System

Transfus Med Hemother 40, Suppl. 1, 76 (2013)

A 133 Sputtek, A., Schubert, C., Peine, S., Rowe, A.W.

Safe collection of peripheral blood stem cells in patients and donors using the

Amicus® Separator and the Spectra Optia® Apheresis System

Vox Sang 105, Suppl. 1, 295-296 (2013)

A 132 Wolschke, C., Sputtek, A., Stübig, T., Worthmann, F., van Randenborgh, A., Ayuk, F., Zander A.R., Kröger N.

Natural-killer cell (NK)-infusion as adoptive immunotherapy in patients with multiple myeloma relapsing after allogeneic stem cell transplantation

Bone Marrow Transplant 48, Suppl. 2, S198 (2013)

A131 Wolschke, C., von Pein, U., Klyuchnikov, E., van Randenborgh, A., Schumacher, S. , Ayuk, F., Sputtek, A., Kröger, N.

Plerixafor (AMD 3100) in combination with filgastrim for mobilization of peripheral blood stem cells by HLA identical sibling donor in setting of allogeneic stem cell transplantation

Bone Marrow Transplant 48, Suppl. 2, S198 (2013)

A130 Sputtek, A., Schubert, C., Peine, S., Rowe, A.W.

Collection of peripheral blood stem cells in patients and donors using the Amicus® Separator and the Spectra Optia® Apheresis System

Bone Marrow Transplant 48, Suppl. 2, S122 (2013)

A129 Cheng, J., Gier, M., Ross-Rodriguez, L.U., Sputtek, A., Prasad, V. Elliott, J.A.W.

Fitting hydroxyethyl starch (HES) vapour pressure osmometry data with the osmotic virial equation

Biopreservation Biobanking, 11, 70 (2013)

A128 Cheng, J., Gier, M., Ross-Rodriguez L.U., Sputtek, A., Prasad, V., Elliott, J.A.W.

Using the osmotic virial equation to fit hydroxyethyl starch (HES) vapour pressure osmometry data

Cryobiology 65, 354 (2012)

A127 Sputtek, A., Klyuchnikov E., Kröger N., Peine, S., Rowe A.W.

Peripheral blood derived hematopoietic progenitor cells (HPC): An overview of a successful application of cryobiology

Cryobiology 65, 342-343 (2012)

A126 Sputtek, A., Peine, S., Rowe A.W.

Cryopreservation of hematopoietic progenitor cells: Some do's and don'ts
Transfus. Med. Hemother. 39 (Suppl 1), 10 (2012)

A125 Sputtek, A., Barthel, B., Rowe A.W.

In vitro comparison of an HES method to the established DMSO technique for
freezing platelet concentrates
Hämostaseologie 32, A60 (2012)

A124 Sputtek, A., Klyuchnikov E., Kröger N., Peine, S., Rowe A.W.

Comparison of a mechanical (-150 °C) refrigerator with the vapor phase over liquid
nitrogen (< -170 °C) for the long-term storage of human peripheral blood stem cells
Cryobiology 63, 322-323 (2011)

A123 Sputtek, A.

Hydroxyethyl starch (HES) - A viable alternative for the cryopreservation of human
red cells for transfusion and immunization
Cryobiology 63, 321-322 (2011)

A122 Jelcic, I., Lutterotti, A., Schulze, C., Schippling, S., Mazzanti, B., Sputtek, A.,
Saccardi, R, Sospedra, M., Zander, A.R. , Martin, R.

Gene expression and epigenetic profiling of CD34+stem cells in multiple sclerosis
patients and healthy donors - implications for autologous hematopoietic stem cell
transplantation

Allergologie 34, 118 (2011)

A121 Sputtek, A., Lioznov, M., Kröger, N., Rowe A.W.

Evaluation of a new freezing bag (CryoMACS®) for cryogenic storage of human
peripheral blood stem cells (PBSC)

Cryobiology 62, 88 (2011)

A120 Sputtek, A., Lioznov, M., Kröger, N., Rowe A.W., Kühnl, P.

Comparison of a new freezing bag (CryoMACS®) with the Cryocyte® freezing bag
for cryogenic storage of human peripheral blood cells

Vox Sang. 99, Suppl. 1, 479-480 (2010)

A119 Klyuchnikov, E., Sputtek, A., Slesarchuk, O., Lioznov, M., Stubig, T., Becher,
U., Amtsfeld, G. Merle, E., Reckhaus, M.L., Fehse, B., Wolschke, C., Adjalle, R.,
Ayuk, F., Zander, A.R. , Kröger, N.

Purification of CD4(+) T cells for adoptive immunotherapy after allogeneic
hematopoietic stem cell transplantation

Onkologie 33, 163 (2010)

A118 Klyuchnikov, E., Sputtek, A., Slesarchuk, O., Lioznov, M., Bacher, U., Fehse,
B., Bentzien, F., Zander, A., Kröger, N.

Application of purified CD4+ T-cells for adoptive immunotherapy of haematological
malignancies following allogeneic stem cell transplantation

Bone Marrow Transplant. 45, Suppl 2, S299 (2010)

A117 Sputtek, A., Lioznov, M., Kröger, N., Rowe A.W., Kühnl, P.
 Evaluation of CryoMACS® freezing bags for cryopreservation of human peripheral blood stem cells
Bone Marrow Transplant. 45, Suppl 2, S185 (2010)

A116 Sputtek, A.
 What can we learn from cryopreserved blood cells?
Cryobiology 59 , 371 (2009)

A115 Sputtek, A. Some like it cold. How peripheral blood stem cells survive cryopreservation
Biocell 33, A227 (2009)

A114 Garritsen, H.S.P., Gabrysiak, Th., Sputtek, A., Biermann, B., Woermann, B.
 Successful mobilisation and transplantation of hematopoietic stem cells (HSC) using Plerixafor plus G-CSF steady state mobilisation in a patient who previously failed twice to mobilise hematopoietic stem cells using G-CSF plus chemotherapy
Tissue Antigens 73, 440 (2009)

A113 Sputtek, A., Rowe, A.W.
 Long-term storage of peripheral blood progenitor cells (PBPC) at –80 °C leads to a decrease of the hematopoietic potential compared to storage over liquid nitrogen
Transfus. Med. Hemother. 35 (Suppl 1), 72 (2008)

A112 Sputtek, A.
 Cryopreservation of peripheral autologous blood stem cells: Some practical aspects
Cryobiology 57, 318 (2008)

A111 Lioznov, M., Dellbrügger, C., Sputtek, A., Fehse, B., Kröger, N., Zander, A.R.
 Cryopreservation after transportation may impair haematopoietic stem cell function and engraftment for allogeneic peripheral blood stem cells
Bone Marrow Transplant 41 (Suppl 1), S148-S149 (2008)

A110 Lioznov, M., Dellbrügger, C., Sputtek, A., Fehse, B., Kröger, N., Zander, A.R.
 Impact of stem cell source on immunological reconstitution after allogeneic stem cell transplant: a single-centre experience
Bone Marrow Transplant 41 (Suppl 1), S148 (2008)

A109 Sputtek, A.
 Cryopreservation of autologous peripheral blood stem cells for patient treatment:
 Theory and practice
CryoLetters 29, 73-74 (2008)

A108 Lioznov, M., Dellbrügger, C., Sputtek, A., Fehse, B., Zander, A.R.
 Cryopreservation of allogeneic peripheral blood stem cells may influence stem cell function and engraftment after transplantation
Onkologie 30 (Suppl 3), 125 (2007)

A107 Rowe, A.W., Sputtek, A.

Cryopreservation of blood – A look-back and update 2007
Low Temp. Med. 33, 37 (2007)

A106 Rowe, A.W. Kühnl, P., Sputtek A.

Long-term storage of peripheral blood progenitor cells (PBPC) at -80 °C results in a pronounced decrease of membrane integrity and clonogenic potential compared to storage at <-170 °C

Vox Sang. 91 (Suppl 3), 30-31 (2006)

A105 Sputtek, A., Rowe A.W.

Human peripheral blood progenitor cells require temperatures lower than minus 80 °C for long-term storage
Cytotherapy 8 (Suppl 1) Meeting Abstract No. 96 (2006)

A104 Sputtek, A., Nowicki, B., Rowe, A.W., Kühnl, P.

Temperatures lower than -80 degrees C are required for the long-term storage of human peripheral blood progenitor cells
Transfusion 45 (Suppl S), 9A (2005)

A103 Sputtek A., Rowe A.W., Kühnl, P.

Storage of peripheral blood progenitor cells (PBPC) at -80 °C for three months results in a pronounced decrease of the clonogenic potential compared to <-170 °C storage

Low Temp. Med. 31, 97 (2005)

A102 Sputtek A., Rowe, A.W., Kühnl P.,

Long-term storage of peripheral blood progenitor cells at -80 °C leads to a pronounced decrease of the clonogenic potential compared to <-170 °C storage in the vapour phase over liquid nitrogen

Cryobiology 51, 355 (2005)

A101 Sputtek, A., Nowicki, B., Rowe A.W., Kühnl, P.

Long-term cryopreservation of human peripheral blood progenitor cells (PBPC): Influence of storage temperature (-80 °C vs. <-170 °C) on cell recovery, membrane integrity, and clonogenicity

Cryobiology 49, 314 (2004)

A100 Rowe, A.W., Sputtek, A.

Cryopreservation of blood cells. A brief overview
Cryobiology 49, 310-311 (2004)

A99 Rowe, A.W., Sputtek, A.

Autologous transfusion of cryopreserved blood cells
Low Temp. Med. 30, 100 (2004)

A98 Sputtek, A.

Hydroxyethyl Starch (HES) – An alternative for the freezing of human red blood cells
Low Temp. Med. 30, 99 (2004)

A97 Sputtek, A.

Protective mechanisms of penetrating and non-penetrating cryoprotectants
 Low Temp. Med. 30, 80 (2004)

A96 Sputtek, A., Nowicki, B., Rowe A.W., Kühnl, P.

-80 °C or below -170 °C: Which temperature do we need for long-term storage of human peripheral blood progenitor cells (PBPC)?
 Transfus. Med. Hemother. 31 (Suppl 3), 10 (2004)

A95 Nowicki, B., Sputtek, A., Kühnl, P.

Influence of storage temperature (-80 °C vs. <-150 °C) on cell recovery, membrane integrity and clonogenicity after long-term storage of human PBPC
 Cytotherapy 6, 403 (2004)

A94 Nowicki, B., Sputtek, A., Kühnl, P.

Effect of long-term storage at -80 °C versus below -150 °C of human peripheral blood progenitor cells on cell recovery, membrane integrity and hematopoietic potential
 Oncology 25 (Suppl 4), 112-113 (2002)

A93 Sputtek, A., Benndorf, C., Rowe, A.W., Kühnl, P.

Hematopoietic potential of cryopreserved peripheral blood stem cells after five hour post-thaw storage at 0 °C and 20 °C
 Low Temp. Med. 28, 111 (2002)

A92 Sputtek, A., Benndorf, C., Kühnl, P.

Post-thaw storage of peripheral blood stem cell concentrates leads to a decrease of the hematopoietic potential and an increase of the danger of clotting
 Infus. Ther. Transfus. Med. 29 (Suppl 1), 25 (2002)

A91 Sputtek, A., Benndorf, C., Rowe, A.W., Kühnl, P.

Why frozen peripheral blood progenitor cell (PBPC) concentrates should be thawed at the patient's bedside
 Transfusion 42 (Suppl), 46S (2002)

A90 Sputtek, A., Benndorf, C., Rowe, A.W., Kühnl, P.

Post-thaw storage of frozen peripheral blood stem cells decreases the hematopoietic potential
 Cryobiology 45, 248-249 (2002)

A89 Schulte am Esch J., Hamann, D., Soltau, M., Zante, B., Jungblut, M., Sputtek, A., Nierhaus, A., Hillert, C., Fischer, L., Rogiers, X.

Ablagerung humaner Antikörper und Komplementaktivierung auf Schweine-Hepatozyten in einem klinisch angewendeten bio-artifiziellen Leberunterstützungssystem

Transplantationsmed. Organ Dtsch. Transplantationsges. 13 (Suppl), 209 (2001)

A88 Sputtek, A.

Cryopreservation and quality control of peripheral blood progenitor cells
Clin. Lab. 47, 565 (2001)

A87 Sputtek, A., Hellstern, P.

Frozen erythrocytes for immunizing Rh-negative plasma donors for anti-D production
Infus. Ther. Transfus. Med. 28 (Suppl 1), 64 (2001)

A86 Siemensen, M.K., Brockmann, M.A., Geidel, K., Sputtek, A., Kühnl, P.,
Gutensohn, K.

Quality control of platelet concentrates after cryopreservation compared to
horizontally stored s using resonance thrombography
Infus. Ther. Transfus. Med. 28 (Suppl 1), 57 (2001)

A85 Sputtek, A.

Cryopreservation of platelets, lymphocytes, and peripheral blood progenitor cells
Infus. Ther. Transfus. Med. 28 (Suppl 1) 56 (2001)

A84 Siemensen, M.K., Brockmann, M.A., Geidel, K., Sputtek, A., Kühnl, P.,
Gutensohn, K.

Flow cytometric analysis of CD62p expression on the surface of cryopreserved
platelet products

Infus. Ther. Transfus. Med. 28 (Suppl 1), 55 (2001)

A83 Giese, L.-H., Pieper, N., Sputtek, A., Kühnl, P.

Influence of the pre-freeze washing medium on pastthaw recovery and postthaw
storage stability of red cells using an automated cytapheresis device for collection
and washing and a hydroxyethyl starch method for freezing
Infus. Ther. Transfus. Med. 28 (Suppl 1), 55 (2001)

A82 Sputtek, A., Pieper, N., Giese, L.-H. Kühnl, P.

Effect of electrolyte medium on the post-thaw recovery and post-thaw storage
stability of erythrocytes (RBC) frozen in the presence of hydroxyethyl starch (HES)
Cryobiology 43, 355-356 (2001)

A81 Schulte am Esch, J., Hamann, D., Soltau, M., Zante, B., Jungbluth, M.,
Sput(t)ek, A., Nierhaus, A., Hillert, Ch., Fischer, L., Rogiers, X.

Ablagerung humaner Antikörper und Komplementaktivierung auf Schweine-
Hepatozyten in einem klinisch angewendeten bio-artifiziellen
Leberunterstützungssystem

Transplantationsmed. Organ. Dtsch. Transplantationsges. 13 (Suppl), 209 (2001)

A80 Schulte am Esch, J., Hamann, D., Soltau, M., Zante, B., Jungbluth, M.,
Sput(t)ek, A., Nierhaus, A., Hillert, Ch., Broring, D.C., Rogiers, X.

Human antibody deposition and complement activation on porcine hepatocytes in a
clinically applied bioartificial liver assist system

Xenotransplantation 8, (Suppl 1), 67 (2001)

A79 Sputtek, A., Benndorf, C., Eiermann Th., Kühnl, P.
 Stability and viability of cryopreserved peripheral blood stem cells (PBSC) during postthaw storage
Infusionsther. Transfusionsmed. 26 (Suppl 1), 56 (1999)

A78 Sputtek, A.
 Cryopreservation of peripheral blood progenitor cells
Infusionsther. Transfusionsmed. 26 (Suppl 1), 9 (1999)

A77 Sputtek, A., Voll, M., Kühnl, P.
 Post-thaw storage stability of hydroxyethyl starch-protected frozen red cells
Cryobiology 37, 431 (1998)

A76 Sputtek, A., Kühnl, P.
 Cryopreservation of peripheral blood progenitor cells (PBPC)
Cryobiology 37, 429 (1998)

A75 Sputtek, A.
 Kryokonservierung von hämopoetischen Stammzellen, Erythrozyten, Thrombozyten und Lymphozyten - Pause vom Leben?
Infusionsther. Transfusionsmed. 25 (Suppl 1), 47 (1998)

A74 Gutensohn, K., Carrero, I., Lüdemann, K., Sputtek, A., Krüger, W., Kühnl, P.
 Semi-automated flow cytometric analysis of CD34-positive Cells in peripheral blood stem cell concentrates
Infusionsther. Transfusionsmed. 25 (Suppl 1), 20 (1998)

A73 Löliger, C., Seyedin, F., Carrero, I., Göpfert, C., Gutensohn, G., Sputtek, A., Rauhöft, C., Fiedler, W., Kröger, N., Kühnl, P.
 Automated collection of peripheral blood progenitor stem cells using the Auto-PBSC software
Blood 90, 330b, (1997)

A72 Sputtek, A.
 The role of penetrating and non-penetrating cryoprotectants in transfusion medicine
 In: *Cryoprotectants in Medical Practice (Utilisation des cryoprotecteurs en médecine)*,
 Ed.: Institute International du Froid (IIF), ISBN 2-903633932, p 12, Paris, Frankreich (1997)

A 71 Reuter, H., Asmussen, C., Gutensohn, K., Sputtek, A., Frank, A., Eifrig, B., Kühnl P.
 Coagulation parameters of fresh-frozen plasma after storage for 24 months at -40 degrees C and -80 degrees C
Thrombosis Haemostasis (Suppl S), P1801 (1997)

A70 Jetter, S., Sputtek, A., Hummel, K., Kühnl, P.
 Numerical recovery and membrane integrity of frozen/thawed human peripheral blood progenitor cells (PBPC) are unsuitable assays for the optimization of the cryopreservation procedure
Infusionsther. Transfusionsmed. 24, 388 (1997)

A69 Sputtek, A.
 Hydroxyethyl starch, red cells and cryopreservation: facts and fictions
Infusionsther. Transfusionsmed. 24, 381 (1997)

A68 Horn, E.-P., Sputtek, A., Voll, M., Lüdemann, K., Rudolf, B., Standl, Th., Schulte am Esch, J., Kühnl, P.
 Effects of hydroxyethyl starch cryopreserved red blood cells on haemodynamics and tissue oxygenation
Infusionsther. Transfusionsmed. 24, 375 (1997)

A67 Meuser, D., Sputtek, A., Kühnl, P.
 A cryopreservation procedure for human red blood cells (RBC) applicable for routine clinical practice using hydroxyethyl starch and liquid nitrogen
Infusionsther. Transfusionsmed. 24, 374-375 (1997)

A66 Gutensohn, K., Garritsen, H.S.P., Cassens, U., Carrero, I., Sputtek, A., Alisch, A., Kühnl, P.
 Counting of residual leukocytes in platelet concentrates by quantitative flow cytometric bead assay
Infusionsther. Transfusionsmed. 24, 284 (1997)

A65 Feldmann, C., Gutensohn, K., Sputtek, A.
 Cryopreservation of peripheral blood progenitor cells (PBPC) - Is there an influence of cooling rate and composition of the cryoprotective solution on progenitor subsets?
Infusionsther. Transfusionsmed. 24, 240 (1997)

A64 Sputtek, A., Hummel, K., Eiermann, Th., Kühnl, P.
 Recovery of peripheral blood progenitor cells (PBPC) frozen in reference samples compared to the recovery in the simultaneously frozen bags for therapeutical use
Infusionsther. Transfusionsmed. 24, 240 (1997)

A63 Sputtek, A., Gutensohn, K., Kühnl, P.
 Mechanismen der Kryoschädigung und -protektion bei isolierten Zellen
Eur. J. Cell Biol. 74 (Suppl 45), 134 (1997); *Optik* 106 (Suppl 7), 134 (1997)

A62 Sputtek, A.
 Kyokonservierung von Erythrozyten mit Hydroxyethylstärke - Eine Alternative zur Flüssiglagerung in additiven Lösungen?
Anästh. Intensivmed. 32 (Suppl 1), S29 (1997)

A61 Sputtek, A., Hammes, R., Warnken, U.H., Kühnl, P.

A novel HPLC method for the determination of HES concentrations in plasma and urine after administration of HES protected frozen erythrocytes

CryoLetters 18, 72 (1997)

A60 Horn, E.-P., Sputtek, A., Rudolf, B., Standl, Th., Schulte am Esch , J.

Cryopreservation of red blood cells using hydroxyethyl starch: a study on safety, tolerance, and oxygenation in patients

Anesthesiology 85 (Suppl), A348 (1996)

A59 Gutensohn, K., Hummel, K., Krüger, W., Sputtek, A., Kühnl, P.

Progressive alteration of platelet antigens during peripheral blood progenitor cell (PBPC) apheresis

Ann. Hematol. 73 (Suppl 2), 160 (1996)

A58 Sputtek, A., Roos, D., Lubitz, B., Gutensohn, K., Müller, M., Kühnl, P.

Einfluß des Bestrahlungsvorgangs auf Thrombozyten-Konzentrate

Infusionsther. Transfusionsmed. 23 (Suppl 3), 67 (1996)

A57 Löliger, C., Hummel, K., Gutensohn, K., Sputtek, A., Hassan, H. T., Kühnl, P.

Biologische Eigenschaften von peripheren Blut-Progenitor-Zell-Präparaten für die allogene Transplantation

Infusionsther. Transfusionsmed. 23 (Suppl 3), 61 (1996)

A56 Löliger, C., Hummel, K., Gutensohn, K., Sputtek, A., Hiller, J., Kühnl, P.

Thrombozytopenie bei einem gesunden Spender nach Apherese peripherer Blut-Progenitor Zellen für die allogene Transplantation

Infusionsther. Transfusionsmed. 23 (Suppl 3), 61 (1996)

A55 Hummel, K., Sputtek, A., Gutensohn, K., Löliger, C., Hassan, H. T., Zander. A.

R., Kühnl, P.

Prädikativer Wert der Leukozytenkonzentration am Apheresetag für den Gehalt an CD34+-Zellen im PBSZ-Präparat bei Spendern

Infusionsther. Transfusionsmed. 23 (Suppl 3), 55 (1996)

A54 Sputtek, A., Jetter, S., Hummel, K., Kühnl, P.

Tiefgefrieren von peripheren Blutstammzellen - Welche Merkmale müssen geeignete Kryokonservierungsverfahren aufweisen?

Infusionsther. Transfusionsmed. 23 (Suppl 3), 43 (1996)

A53 Hummel, K., Sputtek, A., Kühnl, P.

Influence of MNC concentration during cryopreservation on progenitor cell recovery

Infusionsther. Transfusionsmed. 23 (Suppl 3), 42 (1996)

A52 Sputtek, A., Roos, D., Lubitz, B., Gutensohn, K., Rapp, Ch., Kühnl, P.

Einfluß des Bestrahlungsvorgangs auf gefilterte Erythrozyten-Konzentrate in additiver Lösung (PAGGS-M)

Infusionsther. Transfusionsmed. 23 (Suppl 3), 15 (1996)

- A51 Sputtek, A., Horn, E.-P., Voll, M., Hummel, K., Hiller, J., Lüdemann, K., Schulte am Esch, J., Kühnl, P.
 Erste Ergebnisse der Klinischen Phase-II-Studie zur Sicherheit und Verträglichkeit autologer, mittels Hydroxyethylstärke (HES) kryokonservierter Erythrozyten (RBC) Infusionsther. Transfusionsmed. 23 (Suppl 3), 5 (1996)
- A50 Gutensohn, K., Naujokat C., Sputtek, A., Cassens, U., Roos, D., Kühnl, P.
 Decrease in absolute and relative counts of natural killer cells (CD3-/CD16+CD56+) during preoperative autologous blood donation
 Infusionsther. Transfusionsmed. 23 (Suppl 3) 2 (1996)
- A49 Sputtek, A., Jetter, S., Hummel, K., Kühnl, P.
 How much DMSO and which freezer do we need? - Influence of cooling rate and composition of the cryoprotective solution on the recovery of frozen/thawed peripheral blood stem cells
 Exp. Hematol. 24, 1027 (1996)
- A48 Sputtek, A., Jetter, S., Hummel, K., Löliger, C., Kühnl, P.
 Interaction of HES/DMSO concentration and cooling rate on the recovery of cryopreserved human PBSC
 Cryobiology 33, 650-651 (1996)
- A47 Sputtek, A., Horn, E.-P., Voll, M., Hummel, K., Hiller, J., Lüdemann, K., Schulte am Esch, J., Kühnl, P.
 A clinical study to determine the safety and tolerance of HES-cryopreserved autologous red blood cells
 Cryobiology 33, 650-651 (1996)
- A46 Horn, E.-P., Sputtek, A., Rudolf, B., Standl, Th.
 Sicherheit und Toleranz bei autologer Transfusion von HES-kryokonservierten Erythrozyten-Konzentraten
 Anaesthetist 45 (Suppl 2) 130 (1996)
- A45 Wittkopf, D., Sputtek, A., Feddern, P., Reckhaus, M.-L., Kühnl, P.
 Vergleich von 4 Methoden zur Kryokonservierung von Testerythrozyten
 Infusionsther. Transfusionsmed. 22 (Suppl 2) 10 (1995)
- A44 Langer, R., Herold, T., Sputtek, A., Henrich, H.A.
 Lipidperoxidation als eine Hämolyseursache bei mit Hydroxyethylstärke (HES) kryokonservierten Erythrozyten
 Infusionsther. Transfusionsmed. 22 (Suppl 2), 8 (1995)
- A43 Hummel, K., Zeller, W., Gutensohn, K., Sputtek, A., Stockschläder, M., Zander, A., Kühnl, P.
 PBSC Mobilisation und -Separation bei gesunden Spendern
 Infusionsther. Transfusionsmed. 22 (Suppl 2), 43 (1995)

- A42 Gutensohn, K., Sputtek, A., Cassens, U., Caspers, U., Kühnl, P.
 Optimized storage conditions for flow cytometric analysis of peripheral blood stem cells
Infusionsther. Transfusionsmed. 22 (Suppl 2), 58 (1995)
- A41 Voll, M., Sputtek, A., Wittkopf, D., Kühnl, P.
 Kryokonservierung von McLeod-Erythrozyten mit Hydroxyethylstärke (HES)
Infusionsther. Transfusionsmed. 22 (Suppl 2), 11 (1995)
- A40 Sputtek, A., Gutensohn, K., Langer, R., Hammes, R., Warnken, U.H., Henrich, H.A., Kühnl, P.
 Elimination von Hydroxyethylstärke (HES) nach autologer Transfusion von damit kryokonservierten Erythrozyten
Infusionsther. Transfusionsmed. 22 (Suppl 2), 10 (1995)
- A39 Sputtek, A., Lubitz, B., Naujokat, C., Zinke, H., Roos, D., Kühnl, P.
 Welchen Einfluß hat die Unterbrechung der Kühlkette bei der Lagerung von Erythrozyten-Konzentraten nach dem "Eppendorfer-Modell"?
Infusionsther. Transfusionsmed. 22 (Suppl 2), 10 (1995)
- A38 Sputtek, A., Meuser, D., Kühnl, P.
 A method for freezing red blood cells for transfusion using hydroxyethyl starch (HES)
Cryobiology 32, 544-545 (1995)
- A37 Gutensohn, K., Bartsch, N., Cassens, U., Sputtek, A., Ganschow, I., Kühnl, P.
 Platelet activation (PA) profiles in donors following cytapheresis: A flow cytometric follow-up for 4 days
Ann. Hematol. 70 (Suppl 1), 11 (1995)
- A36 Gutensohn, K., Bartsch, N., Sputtek, A., Ganschow, I., Cassens, U., Kühnl, P.
 Flow cytometry as a tool to determine cytapheresis-induced platelet activation (PA)
Ann. Hematol. 70 (Suppl 1), 10 (1995)
- A35 Sputtek, A.
 Cryopreservation of human red blood cells: A comparison of the cryoprotectants gelatine, dextran, and hydroxyethyl starch
CryoLetters 16, 58 (1995)
- A34 Spieles, G., Kresin, M., Loges, K., Sputtek, A., Heschel, I., Rau, G.
 Hemolysis and devitrification in erythrocytes cryopreserved with hydroxyethyl starch (HES)
CryoLetters 16, 58 (1995)
- A33 Meuser, D., Hoevel, M., Sputtek, A.
 Full unit red blood cell (RBC) freezing in the presence of 12% hydroxyethyl starch (HES)
CryoLetters 16, 58 (1995)

A32 Sputtek, A., Sensendorf, H., Fründ, V., Birmanns, H., Kühnl, P.

Transfusion of 3 units of autologous RBC frozen in the presence of HES without postthaw washing - a case report

Infusionsther. Transfusionsmed. 21 (Suppl 2), 74 (1994)

A31 Sputtek, A.

An optimized procedure for the cryopreservation of human red blood cells (RBC) using hydroxyethyl starch (HES) and liquid nitrogen (LN2)

Infusionsther. Transfusionsmed. 21 (Suppl 2), 74 (1994)

A30 Sputtek, A., Barthel, B., Kühnl, P.

A 4% HES method for the cryopreservation of human platelets compared with the standard 5% DMSO method

Infusionsther. Transfusionsmed. 21 (Suppl 2), 74 (1994)

A29 Langer, R., Albrecht, R., Hempel, K., Krug, S., Sputtek, A., Steigerwald, R., Trenkel, K., Henrich, H.A.

Studies on 24-hour post-transfusion survival and long-term survival of autologous with hydroxyethyl starch (HES) cryopreserved erythrocytes in dog

Infusionsther. Transfusionsmed. 21 (Suppl 2), 72-73 (1994)

A28 Sputtek, A., Heschel, I., Kühnl, P.

Tieftemperaturkonservierung menschlicher roter Blutkörperchen mit dem

Kryoprotaktiv Hydroxyethylstärke (HES) - Bedeutung der Abkühlrate

Chem. Ing. Tech. 66, 1217-1218 (1994)

A27 Sputtek, A., Sensendorf, H., Fruend, V., Birmanns, H., Kühnl, P.

Successful transfusion of previously frozen autologous red blood cells without postthaw washing

Cryobiology 31, 584-585 (1994)

A26 Sputtek, A., Warnken, U.H., Langer, R., Henrich, H.A., Kühnl, P.

Hydroxyethyl starch plasma concentration profiles after administration of HES protected frozen erythrocytes

Cryobiology 31, 584 (1994)

A25 Rowe, A.W., Sputtek, A.

Cryopreservation of red blood cells for transfusion

Cryobiology 31, 583 (1994)

A24 Sputtek, A., Barthel, B., Kühnl, P.

Comparison of a 4% hydroxyethyl starch (HES) method with the 5% dimethyl sulfoxide technique for the cryopreservation of platelet concentrates (PC)

Vox Sang. 67 (Suppl 2), 33 (1994)

A23 Sputtek, A., Singbartl, G., Schleinzer, W., Kühnl, P.,
Cryopreservation of human red blood cells (RBC) using hydroxyethyl starch (HES)
and liquid nitrogen: Autologous retransfusion in healthy volunteers
Vox Sang. 67 (Suppl 2), 32 (1994)

A22 Sputtek, A., Sensendorf, H., Fründ, V., Birmanns, H., Kühnl, P.
Substitution von Blutvolumen und Sauerstofftransportkapazität durch Autologe, mit
Hydroxyethylstärke (HES) kryokonservierte Erythrozyten im Ein-Schritt-Verfahren -
Ein Fallbericht
Anaesthesist 43 (Suppl 1), 141 (1994)

A21 Sputtek, A., Roling, Ch., Singbartl, G., Schleinzer, W., Rau, G.
First autologous retransfusion of human red blood cells (450 ml) cryopreserved in
the presence of 11.5% HES without postthaw washing
Cryobiology 30, 657 (1993)

A20 Sputtek, A., Barthel, B., Rau, G.
Cryopreservation of human platelets: An in vitro comparison of a 4% HES method
with the standard 5% DMSO method
Cryobiology 30, 656-657 (1993)

A19 Sputtek, A., Heschel, I., Bryant, G.
Cryoprotection of blood cells by polymeric compounds: A discussion of possible
mechanisms
Cryobiology 30, 654-655 (1993)

A18 Sputtek, A., Gier, M.
Osmotic properties of highly concentrated ternary HES-NaCl-H₂O solutions
Cryobiology 30, 621 (1993)

A17 Sputtek, A., Singbartl, G., Schleinzer, W., Rau, G.
Kryokonservierung von Erythrozyten mit Hydroxyethylstärke (HES): In-vivo-
Ergebnisse im autologen Retransfusionsmodell beim Menschen
Infusionsther. 20 (Suppl 3), 62 (1993)

A16 Sputtek, A., Hammes, R., Warnken, U.H., Langer, R., Henrich, H.A., Rau, G.
Konzentrationsverlauf von Hydroxyethylstärke (HES) in Blut und Urin nach autologer
Retransfusion von damit kryokonservierten Erythrozyten mittels Hochleistungs-
Gelpermeationschromatographie
Anaesthesist 42 (Suppl 1), 406 (1993)

A15 Sputtek, A., Singbartl, G., Schleinzer, W., Rau, G.
Welche Faktoren begrenzen die Transfusion von mittels Hydroxyethylstärke (HES)
kryokonservierten autologen Erythrozytenkonzentraten?
Anaesthesist 42 (Suppl 1), 276 (1993)

- A14 Sputtek, A., Singbartl, G., Schleinzer, W., Rau, G.
 Autologous transfusion of human erythrocytes cryopreserved with hydroxyethyl starch (HES) in seven volunteers
Cryobiology 29, 766-767 (1992)
- A13 Sputtek, A.
 Cryopreservation of various types of blood cells: What can we learn from the past 10 years?
Cryobiology 29, 765 (1992)
- A12 Sputtek, A., Warnken, U.H.
 The effect of hydroxyethyl starch (HES) molecular weight on the amount of uncrystallized water
Cryobiology 29, 707-708 (1992)
- A11 Sputtek, A., Singbartl, G., Schleinzer, W., Rau, G.
 Autologe Retransfusion von hydroxyethylstärkehaltigen, tiefgekühlten Erythrozyten-Konzentraten im Selbstversuch
Anaesthesia 41 (Suppl 1), 162 (1992)
- A10 Langer, R., Kron, W., Schmid, H., Sputtek, A., Steigerwald, R., Trenkel, K., Rau, G., Henrich, H.A.
 Studies on functional acceptability of autologous with hydroxyethyl starch (HES) cryopreserved erythrocytes in dogs
Clin. Hemorheol. 12, 476 (1992)
- A9 Sputtek, A., Dreyer, M., Heschel, I., Rau, G.
 Survival of human red blood cells (RBC) after cryopreservation as affected by the molecular weight of the cryoprotectant hydroxyethyl starch (HES)
Cryobiology 28, 554 (1991)
- A8 Sputtek, A., Schmid, H., Henrich, H.A., Körber, Ch., Rau, G.
 Cryopreservation of dog red blood cells (DRBC) with hydroxyethyl starch (HES) for autologous retransfusion as an animal study
Cryobiology 28, 546 (1991)
- A7 Sputtek, A., Körber, Ch., Langer, R., Schmid, H., Steigerwald, R., Trenkel, K., Kron, W., Henrich, H.A., Rau, G.
 Kryokonservierung von Erythrozyten mit Hydroxyethylstärke (HES): In-vitro-Ergebnisse auf dem Weg zum autologen Retransfusionsmodell beim Hund
Infusionsther. 18 (Suppl 2), 37 (1991)
- A6 Sputtek, A., Körber, Ch., Rau, G.
 Cryopreservation of human erythrocytes with hydroxyethylated starches under variation of starch modification and concentration, electrolyte content, hematocrit, and cooling rate
Cryobiology 27, 667-668 (1990)

A5 Sputtek, A.

A more detailed understanding of molecular properties of etherified starches used as cryoprotectants

Cryobiology 27, 632 (1990)

A4 Sputtek, A., Körber, Ch., Mayr, W.R., Rau, G.

Cryopreservation of human platelets: A comparison of different viability assays

Cryobiology 25, 524 (1988)

A3 Sputtek, A., Körber, Ch., Bacher, Ch., Rau, G.

Further improvement of the cryopreservation of human red blood cells with hydroxyethyl starch

Cryobiology 25, 523 (1988)

A2 Manseck, A., Sputtek, A., Körber, Ch.

The influence of the cryoprotectants trehalose and dimethyl sulfoxide on granulocyte function

Cryobiology 25, 515-516 (1988)

A1 Körber, Ch., Hartmann, U., Brohm, A., Classen, I., Scheiwe, M.W., Sputtek, A., Rau, G.

Cryopreservation of human platelets with hydroxyethyl starch

Cryobiology 23, 576 (1986)