

CONSTRUCTION NOTES


A. <u>SUPPORT CONSTRUCTION:</u> ALL CEILING BULKHEADS TO HAVE WOOD BLOCKING CAPABLE OF SUPPORTING & TOP HUNG SLIDING DOOR LOAD OF 220 lbs (100 kg) WITH NO MORE THAN 1/16" DEFLECTION.


B: FLOOR SLAB LEVEL: ALL FINISHED FLOOR SLABS AND/OR RAISED ACCESS FLOORS TO BE LEVELED TO A TOLERANCE OF 1/4" SLOPE OVER THE WIDTH OF THE SLIDING DOOR TRAVEL 6 FEET & 3 FEET WITH PIVOT DOOR UON.

C: QUALITY CONSTRUCTION: ALL DRYWALL OPENINGS MUST BE BUILD PLUMB, SQUARE AND LEVEL. NELLO WALL SYSTEMS RETAINS THE RIGHT TO REQUEST THAT POORLY CONSTRUCTED OPENINGS TO BE REWORKED BY GC.











DOOR SCHEDULE														
DOOR									FRAME					
DOOR NUMBER	ROOM NAME	SIZE			MATERIAL	ТҮРЕ			MATERIAL	FINISH	DETAIL			
		W	W H T	SILL			FINISH	HEAD			JAMB	HARDWARE SET	COMMENTS	
101	Office	3'-0"	8'-0"	1-3/4"	ALUM./ Glass	D-1	S-1	Painted	Aluminum	Painted	H-1	J-1	HW-3	CLARITY By Nello Wall
101 (OPTION-1)	Office	3'-0"	8'-0"	1-3/4"	SCWD / Glass	D-2	S-1	Painted	Aluminum	Painted	H-1	J-1	HW-3	CLARITY By Nello Wall
101 (OPTION-2)	Office	3'-0"	8'-0"	1-3/4"	SCWD	D-3	S-1	Painted	Aluminum	Painted	H-1	J-1	HW-3	CLARITY By Nello Wall


HARDWARE SCHEDULE								
SET HW-3 SINGLE 1-3/4" SOLID DOOR - LOCKING								
COUNT	REF	DESCRIPTION	FINISH	COMMENTS				
	3553	Hager 3553 Cylindrical Lockset	626					
1	3333							
1	NCPDBS	Nello Clarity Door Bottom stop	626					






J-1 SOLID DOOR AT JAMB

Scale: 6": 1'







S-1 DOOR FRAME AT SILL

Scale: 6": 1'



CLARITY DESIGN ELEMENTS

DOOR FRAMES & HINGED DOORS, 1-1/8" x 7/8" TRACK

 Drawing#:
 Revision#:
 Date:

 CL-003
 REV.1
 4/26/2021

In accordance with the law, we reserve the exclusivity rights of this drawing. Its reproduction or disclosure to third party is forbidden without our express authorization.

6685 Santa Barbara Ct.
Suite A
Elkridge,MD 21075
USA
http://www.nellowall.com
info@nellowall.com
410.579.8533