
CONSTRUCTION NOTES

A. <u>SUPPORT CONSTRUCTION:</u> ALL CEILING BULKHEADS TO HAVE WOOD BLOCKING CAPABLE OF SUPPORTING & TOP HUNG SLIDING DOOR LOAD OF 220 lbs (100 kg) WITH NO MORE THAN 1/16" DEFLECTION.


B: FLOOR SLAB LEVEL: ALL FINISHED FLOOR SLABS AND/OR RAISED ACCESS FLOORS TO BE LEVELED TO A TOLERANCE OF 1/4" SLOPE OVER THE WIDTH OF THE SLIDING DOOR TRAVEL 6 FEET & 3 FEET WITH PIVOT DOOR UON.


C: QUALITY CONSTRUCTION: ALL DRYWALL OPENINGS MUST BE BUILD PLUMB, SQUARE AND LEVEL. NELLO WALL SYSTEMS RETAINS THE RIGHT TO REQUEST THAT POORLY CONSTRUCTED OPENINGS TO BE REWORKED BY GC.




PLAN: TYPICAL OFFICES WITH SOLID DOOR & 3" x 1-5/8" FRONT WALL TRACK

Scale: 3/4": 1'












HARDWARE SCHEDULE				
SET HW-3	SINGLE 1-3/4" SOLID DOOR - LOCKING			
COUNT	REF	DESCRIPTION	FINISH	COMMENTS
1	3553	Hager 3553 Cylindrical Lockset	626	
1	NCPDBS	Nello Clarity Door Bottom stop	626	
3	#1279	Butt Hinges 4-1/2" x 4"	US26D	





J-1 SINGLE GLASS DOOR AT JAMB
Scale: 6": 1'





CLARITY DESIGN ELEMENTS

DOOR FRAMES & HINGED DOORS, 1-5/8" x 3" TRACK - SINGLE GLASS

 Drawing#:
 Revision#:
 Date:

 CL-004
 REV.1
 4/26/2021

In accordance with the law, we reserve the exclusivity rights of this drawing. Its reproduction or disclosure to third party is forbidden without our express authorization.

6685 Santa Barbara Ct.
Suite A
Elkridge,MD 21075
USA
http://www.nellowall.com
info@nellowall.com
410.579.8533