

ANTIFROGEN L WATER-MIXTURE 38%

Page 1(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

ANTIFROGEN L WATER-MIXTURE 38%

Material number: 121165

Chemical nature:

Mono propylene glycole (1,2-propandiol) with corrosion inhibitors, water mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industry sector : Functional Fluids

Type of use : Brine for refrigeration

1.3. Details of the supplier of the safety data sheet

Identification of the company

Clariant Produkte (Deutschland) GmbH

65926 Frankfurt am Main

Telephone no. : +49 69 305 18000

Information about the substance/mixture

BU Industrial & Consumer Specialties

Product Stewardship

e-mail: SDS.Europe@clariant.com

1.4. Emergency telephone number

00800-5121 5121

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to the present state of knowledge provided this product is handled correctly, there is no danger to humans or the environment

ANTIFROGEN L WATER-MIXTURE 38%

Page 2(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Remarks : No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Remove/Take off immediately all contaminated clothing.
Move the victim to fresh air.

If inhaled : If inhaled, remove to fresh air.
Get medical advice/ attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty
of water and seek medical advice.

If swallowed : Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known currently.

Risks : No hazards known at this time.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.
Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:
Carbon monoxide (CO)
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment : Self-contained breathing apparatus

ANTIFROGEN L WATER-MIXTURE 38%

Page 3(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

for firefighters

Further information : Wear suitable protective equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not allow to enter drains or waterways

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Can be landfilled or incinerated, when in compliance with local regulations.

6.4 Reference to other sections

Information regarding Safe handling, see chapter 7., For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special measures necessary if stored and handled as prescribed.

Advice on protection against fire and explosion : Observe the general rules of industrial fire protection

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Advice on common storage : Keep away from oxidizing agents. Do not store with alkalies

Further information on storage stability : Storage time: 24 months

7.3 Specific end use(s)

Specific use(s) : No further recommendations.

ANTIFROGEN L WATER-MIXTURE 38%

Page 4(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene Glycol CAS-No.: 57-55-6	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
Remarks:	DNEL			
	Workers	Inhalation	Long-term local effects	10 mg/m ³
Remarks:	DNEL			
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³
Remarks:	DNEL			
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
Remarks:	DNEL			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene Glycol CAS-No.: 57-55-6	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Break through time : 480 min

Glove thickness : 0,7 mm

Remarks : Long-term exposure Impervious butyl rubber gloves

Break through time : 30 min

Glove thickness : 0,4 mm

Remarks : For short-term exposure (splash protection): Nitrile rubber gloves.

Remarks : These types of protective gloves are offered by various

ANTIFROGEN L WATER-MIXTURE 38%

Page 5(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

- Respiratory protection : Use respiratory protection in case of insufficient exhaust ventilation or prolonged exposure
Full mask to standard DIN EN 136
Filter A (organic gases and vapours) to standard DIN EN 141
The use of filter apparatus presupposes that the environment atmosphere contains at least 17% oxygen by volume, and does not exceed the maximum gas concentration, usually 0.5% by volume. Relevant guidelines to be considered include EN 136/141/143/371/372 as well as other national regulations.
- Protective measures : Do not inhale vapours

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : Liquid
- Colour : blue
- Odour : perceptible
- Odour Threshold : not tested.
- pH : approx. 9 (20 °C)
Method: DIN EN 1262
Determined in the undiluted form
- Melting point : approx. -19 °C
Method: ASTM D 1177
- Boiling point : approx. 104 °C
(10130,000 hPa)
Method: ASTM D 1120
Test result of a related preparation.
- Flash point : Method: DIN 51758
No flash point - Measure made up to the boiling point.
- Evaporation rate : not tested.
- Flammability (solid, gas) : Not applicable
- Burning number : Not applicable
- Upper explosion limit / upper flammability limit : not tested.

ANTIFROGEN L WATER-MIXTURE 38%

Page 6(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	< 0,01 kPa (20 °C) Method: Calculated by Syracuse. Data relate to solvent
Relative vapour density	:	not tested.
Density	:	approx. 1,03 g/cm ³ (20 °C) Method: DIN 51757
Bulk density	:	Not applicable
Solubility(ies)		
Water solubility	:	completely miscible (20 °C)
Solubility in other solvents	:	not tested. Solvent: fat
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	not tested.
Decomposition temperature	:	> 200 °C Method: DSC By analogy with a product of similar composition
Viscosity		
Viscosity, dynamic	:	approx. 4,2 mPa.s Method: calculated
Viscosity, kinematic	:	approx. 4,0 mm ² /s (20 °C) Method: DIN 51562
Explosive properties	:	no data available
Oxidizing properties	:	Not applicable

9.2 Other information

Metal corrosion rate	:	Not corrosive to metals
Minimum ignition energy	:	not tested.
Particle size	:	Not applicable
Self-ignition	:	not tested.

ANTIFROGEN L WATER-MIXTURE 38%

Page 7(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3. "Possibility of hazardous reactions"

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : not known

10.6 Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Remarks : not tested.

Serious eye damage/eye irritation

Product:

Remarks : not tested.

Respiratory or skin sensitisation

Product:

Remarks : not tested.

ANTIFROGEN L WATER-MIXTURE 38%

Page 8(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

Germ cell mutagenicity

Product:

Germ cell mutagenicity-
Assessment : No information available.

Carcinogenicity

Product:

Carcinogenicity -
Assessment : No information available.

Reproductive toxicity

Product:

Reproductive toxicity -
Assessment : No information available.

No information available.

STOT - single exposure

Product:

Remarks : not tested.

STOT - repeated exposure

Product:

Remarks : not tested.

Repeated dose toxicity

Product:

Remarks : not tested.

Further information

Product:

Remarks : The classification was made by the conventional (calculation)
method of the CLP Regulation (EC) No 1272/2008.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1.400 mg/l
Exposure time: 48 h
Remarks: By analogy with a product of similar composition

ANTIFROGEN L WATER-MIXTURE 38%

Page 9(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

Toxicity to daphnia and other aquatic invertebrates : Remarks: not tested.

Toxicity to algae : Remarks: not tested.

Toxicity to microorganisms : EC10 : > 1.000 mg/l
Method: OECD Test Guideline 209
Remarks: By analogy with a product of similar composition

12.2 Persistence and degradability

Product:

Biodegradability : Biodegradation: 99 %
Exposure time: 2 d
Method: OECD Test Guideline 302B
Remarks: Information refers to the main component.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: not tested.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Environmental fate and pathways : no data available

Additional ecological information : The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

Determined in the undiluted form

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

ANTIFROGEN L WATER-MIXTURE 38%

Page 10(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14: Transport information

Section 14.1. to 14.5.

ADR	not restricted
ADN	not restricted
RID	not restricted
IATA	not restricted
IMDG	not restricted

14.6. Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code (International Bulk Chemicals Code)

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

Threshold limit value (German MAK-value) not determined.

15.2 Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with

ANTIFROGEN L WATER-MIXTURE 38%

Page 11(11)

Substance key: SXR089055

Revision Date: 29.01.2019

Version : 3 - 5 / EU

Date of printing : 17.06.2020

x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : Observe national and local legal requirements

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

REG_EU / EN